



“COSMIC COLORS”

NEW HAMPSHIRE ORCHID SOCIETY’S 2024 ANNUAL SHOW AND SALE

JUDGING SCHEDULE
MARCH 1, 2024
COURTYARD AT MARRIOTT
NASHUA, NH

AOS JUDGING CHAIR: ROBERT WINKLEY
SHOW CHAIR: ANDREA DEACHMAN
RIBBON JUDGING CHAIR: SUSAN USSEGLIO
AOS SHOW PHOTOGRAPHER: JOE MACIASZEK

NEW HAMPSHIRE ORCHID SOCIETY
2024 RIBBON JUDGING SCHEDULE

INSTRUCTIONS FOR USE

- **Completed registrations must be received no later than 9 PM Sunday, February 25, 2024.** Please send your registration form to nhos-show-reg@nhorchids.org.
- **Deletions only will be accepted until February 29, 2024 by 3PM after which time no deletions/changes will be accepted.**
- Address questions or requests for clarification to the Show Chair, Andrea Deachman; or Ribbon Judging Chair, Susan Usseglio at nhos-show-reg@nhorchids.org.
- As an AOS sanctioned show, this show complies with the current rules in the *AOS Handbook on Judging* and any interim rules issued by the AOS Committee on Awards.
- Each exhibitor agrees, upon making entry, to abide by the rules and regulations of the show. For questions regarding the interpretation or application of these rules, contact the Show Chairs.
- The same individual plant may not be entered in more than one class.
- All plants to be judged must be labeled by the exhibitor with genus, species or hybrid name, cultivar, if applicable, and any AOS award(s). It is permissible to use the recognized abbreviation for a genus name. Plants should be classed based on, and labeled with, the currently RHS accepted taxonomy. If you are unsure of the current genus for your species orchid, you may use [the World Checklist of Selected Plant Families](#); For hybrids use the [RHS Orchid Registry](#); or you may contact the Show Chairs for guidance.
- It is the exhibitor's responsibility to label the plants in their exhibit. Labels are not provided.
- AOS consideration may be requested for a specific plant by placing a red dot sticker on the plant label. Please see the show office for stickers.
- Please ask for help if you are not sure in which class to enter a plant. Plants are placed in the first applicable class unless instructed otherwise in the alliance-specific instructions. Entries not in accordance with the schedule may be disqualified or reclassified at the judges' discretion.
 1. Determine if the plant is a species, hybrid, or intergeneric hybrid, and if a hybrid, its parentage.
 2. Determine plant's genus and look it up in the Index which directs you to the class or classes to consider.
 3. When classes are delineated by flower size, **measure** the horizontal natural spread; do not guess.
 4. When classes are delineated by color, the plant should be classed based on its background color; for example, a white heavily overlaid with pink is placed under whites. For heavily marked flowers, determine the background color by looking at the back of the flower. For Paphiopedilums, the predominant color of petals, dorsal and pouch defines the color.
- If possible, include the parentage of hybrids in the registration to facilitate judging. Include known cultivar and/or awards for the parents. It is not necessary to label the plants in the display with parentage; e.g., B. Little Stars (*B. nodosa* x *B. subulifolia*) is the entry in the registration spreadsheet, and the plant label is B. Little Stars.
- The Show Committee reserves the right to remove all or any part of an exhibit which they consider inferior. All decisions of the Show Committee are final.
- Natural foliage plants, moss, etc. may supplement exhibits, but no artificial or dyed flowers of any kind are permitted. Flowering non-orchids plants may be used for effect but may not dominate.
- Judges have the right to award or withhold any scheduled trophy or ribbon and may subdivide or combine any plant class when warranted. Show ribbons are awarded for each class of plants and exhibits at the discretion of the judges. All decisions of the judges are final.
- Each person or organization entering plants or flowers agrees to accept any AOS award given, and to pay all fees for such awards to the American Orchid Society. If an entrant does not wish to accept an AOS award, they must inform the show committee **before** placing their plant in the exhibit and are requested to label the plant or flower as **"Not for AOS Judging."**

Definitions

- **Color**: the background color of the flower. With multiple overlays, the reverse or back side of the bloom determines the base or background color. For Paphiopedilums, the predominant color of petals, dorsal and pouch defines the color.
- **Intragenetic Hybrid**: A hybrid with parents from more than one species but only one genus; it is typically referred to as a “Hybrid” omitting the word intragenetic.
- **Intergeneric Hybrid**: A hybrid with parents from more than one genus.
- **Leaf Span**: The measurement from leaf tip to leaf tip (as opposed to leaf length which measures the length of a single leaf).
- **Natural Spread**: the horizontal measurement (side to side) of a flower made without manipulating the flower.

A. Cattleya Alliance

Many Laelia, Schomburgkia and Sophronitis have been reclassified as Cattleya. Please use the current classification when selecting the class for your orchid. If you are unsure of the current genus for your species orchid, you may use [the World Checklist of Selected Plant Families](#); use the [RHS International Orchid Registry](#) to check the genus of hybrids; or you may contact the Show Chairs.

Cattleya: General, Miscellaneous

- A.1 Dinema [Din.] and Epidendrum [Epi.] Species and intrageneric Hybrids.
- A.2 Encyclia [E.] and Prosthechea [Psh.] Species and intrageneric Hybrids
- A.3 Brassavola [B.] and Rhynchoaelia [Rl.] Species and intrageneric Hybrids
- A.4 Broughtonia [Bro.] Species and intrageneric Hybrids
- A.5 Laelia [L.] Species and intrageneric Hybrids. (Please see note above as most, but not all, Laelia have been reclassified as Cattleya.)
- A.6 Cattleya Allied Genera, Species and Hybrids that do **NOT** include the genus Cattleya in their pedigree; e.g., Arpophyllum [Arpo.], Barkeria [Bark.], Brassanthe [Bsn.], Brassokeria [Brsk.], Broanthevola [Btv.], Domingoa [Dga.], Encyvola [Eyv.], Guarianthe [Gur.], Isabelia [Isa.], Isochilus [Iso.], Lambara [Lmb.], Leptotes [Lpt.], Myrmecophila [Mcp.], Neocogniauxia [Nga.], Oerstedella [Oe.], Rhynchovola [Rcv.], Scaphyglottis [Scgl.], , Sophronitella [Soph.],
- A.7 Schomburgkia [Shom.] Allied Genera, Species and Hybrids
- A.8 Sophronitis [S.] Allied Genera, Species and Hybrids (Please see note above as most, but not all, Sophronitis have been reclassified as Cattleya.)
- A.9 Best of the Blues: Cattleya: General, Miscellaneous, and Intrageneric Hybrids (Classes A.1 – A.8)**

Cattleya [C.] Species

- A.10 Cattleya intermedia – all forms and colors
- A.11 Cattleya Species – Flowers > 3" (7.5cm) in natural spread (☀ > 3")

A.12 Cattleya Best Species (Classes A.10 – A.11)

Cattleya Hybrids

Includes Brassocatanthe [Bct.], Brassocattleya [Bc.], Brassolaelia [Bl.], Brassolaeliocattleya [Blc.], Brownara [Bwna.], Cahuzacara [Chz.], Cattleya [C.], Cattleychea [Ctyh], Cattleytonia [Ctna.], Cattlianthe [Ctt.], Caulaelia [Cll.], Cautonleya [Cny.], Collierara [Col.], Encyleyvola [Eyy.], Epicanthe [Ett.], Epicantonia [Epctn.], Epicattleya [Epc.], Epilaeliocattleya [Eplc.], Epiphronitis [Ephs.], Gerberara [Gba.], Hawkinsara [Hknsa.], Iwanagara [Iana.], Jackfowlieara [Jfk.], Laeliocattleya [Lc.], Laeliocatanthe [Lcn.], Myrmecocattleya [Myc.], Potinara [Pot.], Procatavola [Pcv.], Rhyncatlaelia [Ryc.], Rhyncattleanthe [Rth.], Rhynchoaeliocattleya [Rlc.], Schombocattleya [Smbc.], Schomcattleya [Sc.], Sophrolaelia [Sl.], Sophrolaeliocattleya [Slc.], Vaughnara [Vnra.]

Cattleya Hybrids: Midsize and Compact

Flowers 3" (7.5 cm) or less in natural spread (☀ ≤ 3")

- A.20 Cattleya Alliance Midsize and Compact Flower Hybrids – Blue/Amethyst/Purple/Lavender/Pink
- A.21 Cattleya Alliance Midsize and Compact Flower Hybrids – Green/Bronze/Yellow/Orange
- A.22 Cattleya Alliance Midsize and Compact Flower Hybrids – Red/Red Shades
- A.23 Cattleya Alliance Midsize and Compact Flower Hybrids – White/Semi-Alba
- A.24 Cattleya Alliance Midsize and Compact Flower Hybrids – Other: Splash Petal/Tri-Color/Spots/Art Shades
- A.25 Midsize and Compact Cattleya Hybrids (Classes A.20 – A.24)**

Cattleya Hybrids: Standard and Large Flower

Standard - Flowers greater than 3" (7.5 cm) and less or equal to than 5" (12 cm) in natural spread (3" < ☀ ≤ 5")

Large - Flowers greater than 5" (12 cm) in natural spread (☀ > 5")

- A.30 Cattleya Alliance Standard and Large Flower Hybrids – Blue/Amethyst/Purple/Lavender/Pink

NEW HAMPSHIRE ORCHID SOCIETY
2024 RIBBON JUDGING SCHEDULE

- A.31 Cattleya Alliance Standard and Large Flower Hybrids – Green/Bronze/Yellow/Orange
- A.32 Cattleya Alliance Standard and Large Flower Hybrids – Red/Red Shades
- A.33 Cattleya Alliance Standard and Large Flower Hybrids – White/Semi-Alba
- A.34 Cattleya Alliance Standard and Large Flower Hybrids – Other: Splash Petal/Tri-Color/Spots/Art Shades
- A.35 Best of the Blues: Standard and Large Flower Cattleya Hybrids (Classes A.30 – A.34)**

Cattleya Hybrids: Intergeneric and Novelty Hybrids

Flowers greater than 5" (12 cm) in natural spread (☀ > 5")

- A.40 Cattleya Alliance Intergeneric and Novelty Hybrids – Blue/Amethyst/Purple/Lavender/Pink
- A.41 Cattleya Alliance Intergeneric and Novelty Hybrids – Green/Bronze/Yellow/Orange
- A.42 Cattleya Alliance Intergeneric and Novelty Hybrids – Red/Red Shades
- A.43 Cattleya Alliance Intergeneric and Novelty Hybrids – White/Semi-Alba
- A.44 Cattleya Alliance Intergeneric and Novelty Hybrids – Other: Splash Petal/Tri-Color/Spots/Art Shades**
- A.45 Best of the Blues: Cattleya Hybrid – Intergeneric and Novelty (Classes A.40 - A.44)**
- A.46 Best Cattleya in Alliance – Lee Soule Award (Classes A.1 – A.44)**

Cattleya: Other Ribbons

- A.50 Windowsill grown natural light
- A.51 Grown under artificial light or natural light supplemented by artificial light
- A.52 First Bloom Seedling, excluding meristems, mericlones and divisions
- A.53 Best Cattleya Specimen
- A.54 Best Cattleya Species (Classes A.01 – A.06, A.10 – A.12)
- A.55 Best "No-Name" Cattleya in Alliance

B. Cymbidium Alliance

Cymbidium [Cym.] Species

- B.1 Asian Cymbidium Species, i.e., Jensoa section (e.g., *ensifolium*, *forrestii*, *goeringii*, *kanran*, *sinense*)
- B.2 Cymbidium Species – pendulous inflorescences
- B.3 Cymbidium Species – all others

Cymbidium Hybrids: Small Flower

Flowers 2.5" (6 cm.) or less in natural spread (☀ ≤ 2.5")

- B.10 Cymbidium Small Flower Hybrids – pendulous inflorescences – all colors
- B.11 Cymbidium Small Flower Hybrids – Bronze/Green/Yellow with or without patterns or markings
- B.12 Cymbidium Small Flower Hybrids – Pink/Red/Orange with or without patterns or markings
- B.13 Cymbidium Small Flower Hybrids – White with or without patterns or markings
- B.14 Cymbidium Small Flower Hybrids – Other Colors with or without patterns or markings
- B.15 Best of the Blues: Cymbidium Species and Small Flower Hybrids (Classes B.1 – B.14)**

Cymbidium Hybrids: Standard

Flowers greater than 2.5" (6 cm.) in natural spread (☀ > 2.5")

- B.20 Cymbidium Standard Hybrids – pendulous inflorescences – all colors
- B.21 Cymbidium Standard Hybrids – Bronze/Green/Yellow with or without patterns or markings
- B.22 Cymbidium Standard Hybrids – Pink/Red/Orange with or without patterns or markings
- B.23 Cymbidium Standard Hybrids – White with or without patterns or markings
- B.24 Cymbidium Standard Hybrids – Other Colors with or without patterns or markings
- B.25 Best of the Blues: Cymbidium Standard Flower Hybrids (Classes B.20 – B.24)**

Cymbidium: Allied Genera

B.30 Other Cymbidium Allied Genera, Species and Hybrids; e.g., Ansellia [Aslla.], Cymbidiella [Cymla.], Eriopsis [Ess.], Eulophia [Euph.], Eulophiella [Eul.], Grammangis [Gra.], Grammatophyllum [Gram.], Thecopus [The.], Thecostele [Tcs.].

B.31 Best Cymbidium in Alliance (Classes B.1 – B.30)

Cymbidium: Other Ribbons

- B.40 Windowsill grown natural light
- B.41 Grown under artificial light or natural light supplemented by artificial light
- B.42 First Bloom Seedling, excluding meristems, mericlones and divisions
- B.43 Best Cymbidium Species (Classes B.1 – B.3, B.30)
- B.44 Best Cymbidium Specimen
- B.45 Best “No-Name” Cymbidium in Alliance

C. Cypripedium Alliance

Color based on dominant color of petals, sepals, and pouch.

Bulldog type: a complex Hybrid with no fewer than four species, commonly called Bulldog type. Characteristics of bulldog types include long lasting flowers with a waxy substance and a round, full look. Leaves are typically strappy green.

Maudiae type: Includes *Paph.* Maudiae (*Paph. callosum* x *Paph. lawrenceanum*) and other *Paphiopedilum* crosses that include at least one parent of the Barbata subgenus (*callosum*, *lawrenceanum*, *mastersianum*, *hennisianum*, *sukhakulii*, *fowliei*, *venustum*, etc.) that resemble the distinct characteristics of *Paph.* Maudiae with typical Maudiae characteristics: a large dorsal sepal, marked with vertical green and/or purple veins; and, green, or purple and green petals often with warts; and mottled leaves. Recent breeding can produce a solid dark purple to almost black dorsal and petals without any veins.

Paphiopedilum [Paph.] Species

Reference Slipper Alliance website for species information <http://www.slipperorchid.org/>

- C.1 Paphiopedilum Single Flowered Species - (e.g., *bellatulum*, *concolor*, *godefroyae*, *niveum*, *thaianum*, *barbigerum*, *charlesworthii*, *druryi*, *exul*, *fairrieianum*, *gratrixianum*C.1, *helenae*, *henryanum*, *hirsutissimum*, *insigne*, *spicerianum*, *tigrinum*, *appletonianum*, *barbatum*, *callosum*, *dayanum*, *fowliei*, *hookerae*, *lawrenceanum*, *mastgersianum*, *mohrianum*, *purpuratum*, *sangii*, *sukhakulii*, *superbiens*, *tonsum*, *venustum*, *wardii*)
- C.2 Parvisepalum subgenus Species (e.g., *armeniicum*, *delenatii*, *emersonii*, *hangianum*, *malipoense*, *micranthum*, *vietnamense*)
- C.3 Paphiopedilum Multi-floral Species (e.g., *adductum*, *dianthum*, *gigantifolium*, *glanduliferum*, *haynaldianum*, *kolopakingii*, *lowii*, *ooii*, *parishii*, *philippinense*, *platyphyllum*, *praestans*, *randsii*, *rothschildianum*, *sanderianum*, *stonei*, *supardii*, *wilhelminiae*, *chamberlainianum*, *glaucophyllum*, *liemianum*, *moquetteanum*, *primulinum*, *victoria-marie*)
- C.4 **Best of the Blues: Paphiopedilum Species (Classes C.1 – C.3)**

Paphiopedilum Hybrids: Maudiae Type

See definition above.

- C.10 Maudiae types – Green/ Yellow/White
- C.11 Maudiae types – Vinicolor/Dark Purple
- C.12 Maudiae types – Other colors

Paphiopedilum Hybrids: Bulldog Type

See definition above.

- C.20 Paphiopedilum Bulldog type Hybrids – Green/Yellow
- C.21 Paphiopedilum Bulldog type Hybrids – Red/Red Spotted
- C.22 Paphiopedilum Bulldog type Hybrids – Tan/Bronze/Brown
- C.23 Paphiopedilum Bulldog type Hybrids – White/Pink

C.24 Best of the Blues: Bulldog & Maudiae Type Paphiopedilum (Classes C.10– C.23)

Paphiopedilum Hybrids: Other

- C.30 Multi-Floral/ Sequential Paphiopedilum Hybrids
- C.31 All Other Paphiopedilum Hybrids

Phragmipedium

- C.40 Phragmipedium species
- C.41 Phragmipedium Hybrids: besseae or kovachii influenced Hybrids 3.5" (8 cm) or less in natural spread
- C.42 Phragmipedium Hybrids: besseae or kovachii influenced Hybrids greater than 3.5" (8 cm) in natural spread
- C.43 Phragmipedium Hybrids: non-besseae and non-kovachii influenced Hybrids

Other Cypripedium Related Genera

- C.50 Other Cypripedium Allied Genera; e.g., Cypripedium [Cyp.], Mexipedium [Mxdm.], Selenipedium [Sel.].

C.51 Best Cypripedium in Alliance – Jim Campbell Memorial Award (Classes C.1 – C.50)

Cypripedium: Other Ribbons

- C.60 Windowsill grown natural light
- C.61 Grown under artificial light or natural light supplemented by artificial light
- C.62 First Bloom Seedling excluding meristems, mericlones and divisions
- C.63 Best Cypripedium Specimen
- C.64 Best Cypripedium Species (Classes C.1 – C.6, C.40)
- C.65 Best "No -Name" Cypripedium in Alliance

D. Dendrobium [Den.] Alliance

Note that in some cases, Species and Hybrids are in separate classes; and in other cases, they are together in one class.

- D.1 Dendrobium Species – nobile types - deciduous; (*nobile, anosum, aphroditem, devonainum, loddigesii, linawianum, moniliforme, parishii, primulinum*)
- D.2 Dendrobium Species - Phalaenopsis & Antelope types; (*affine, bigibum/phalaenopsis, dicuphum, williamsonianum, antennatum, canaliclatum, discolor, gouldii, lineale, helix, stratiotes*),
- D.3 Dendrobium Species – Nigrohirsute type (black hairs on stems); (*bellatulum, dearii, draconis, formosum, infundibulum, lowii, sanderae*)
- D.4 Dendrobium Species– latouria (*aberrans, alexandrae, amphigenium, atroviolaceum, bifalce, biloculare, convolutum, cruttwellii, dendrocolloides, engae, euryanthum, eximium, finisterrae, forbesii, johnsoniae, kauldorumii, macrophyllum, mayandyi, otaguroanum, polysema, punamense, rhodostictum, rigidifolium, shiraishii, spectabile, tapiniense, terrestre, woodsia*)
- D.5 Dendrobium Species – Australian (*kingianum, speciosum, tetragonum*)
- D.6 Dendrobium Species – Other Dendrobium species; (*aggregatum/lindley, amethystoglossum, densiflorum, dichaeoides, cuthbertsonii, liquiforme, pentapterun, petiolatum, pseudoglomeratum, secundum, smillieae, subliferum, thrysiflorum, victoriae-reginae*)
- D.7 Dendrobium Hybrids – Nobile type

NEW HAMPSHIRE ORCHID SOCIETY
2024 RIBBON JUDGING SCHEDULE

- D.8 Dendrobium Hybrids – Phalaenopsis and Antelope type
- D.9 Dendrobium Hybrids – Nigrohirsute type (black hairs on stems)
- D.10 Dendrobium Hybrids Latouria type
- D.11 Dendrobium Hybrids – Australian kingianum, speciosum type
- D.12 Dendrobium Hybrids – Other Dendrobium hybrids not included in prior classes
- D.13 Other Dendrobium sections, and Allied Genera Species and Hybrids and intergeneric Hybrids other than above; e.g., *Cadetia* [Cad.], *Diplocaulabium*, *Dockrillia* [Doc.], *Eria*, *Epigeneium* and *Flickingeria* [Flkga.]
- D.14 Best Dendrobium Species (Classes D.1 - D.4, D.7 - D.9, D.11 - D.16)**
- D.15 Best Dendrobium Hybrids (Classes D.1 – D.3, D.5 – D.8, D.10 – D.16)**
- D.16 Best Dendrobium in Alliance - (Classes D.1 – D. 16)**

Dendrobium: Other Ribbons

- D.17 Windowsill grown natural light
- D.18 Grown under artificial light or natural light supplemented by artificial light
- D.19 First Bloom Seedling, excluding meristems, mericlones and divisions
- D.20 Best Dendrobium Specimen
- D.21 Best Dendrobium Species (Classes D.1 – D.4, D.7 – D.9, D.11 – D.16)
- D.22 Best “No-Name” Dendrobium in Alliance

E. Maxillaria Alliance

- E.1 Maxillaria [Max.] and Maxillariella [Mxl.] Species
- E.2 Maxillaria and Maxillariella Hybrids
- E.3 Bifrenaria [Bif.], Lycaste [Lyc.], Lysudamuloa [Lys.], Sudamerlycaste [Sud.], Xylobium [Xyl] Species and Hybrids
- E.4 Zygopetalum [Z.] and allied genera Species and Hybrids; e.g., Cochleanthes [Cnth.], Galeopetalum [Gptm.], Galeottia [Glta.], Promenaea [Prom.], Propetalum [Pptm.], Tsubotaara [Tst.], Warczewiczella [W.], Zygolum [Zglm.], Zygoneria [Zga.], Zygonisia [Zns.]
- E.5 Pescatoria [Pes.] and allied genera Species and Hybrids; e.g., Bollea [Bol.], Chondrorhyncha [Chdrh.], Huntleya [Hya.]
- E.6 Best Maxillaria in Alliance (Classes E.1 – E.5)**

Maxillaria: Other Ribbons

- E.10 Window grown natural light
- E.11 Grown under artificial light or natural light supplemented by artificial light
- E.12 First Bloom Seedling, excluding meristems, mericlones and divisions
- E.13 Best Maxillaria Specimen
- E.14 Best Maxillaria Species (Classes E.1 – E.5)
- E.15 Best “No-Name” Maxillaria in Alliance

F. Oncidium Alliance

- F.1 Brassia [Brs.] Species, Hybrids and Intergeneric Hybrids (all Hybrids with Brassia in them) including Ada [Ada], Beallara [Bilra], Brassidium [Brsdm], Degarmoara [Dgmra]
- F.2 Miltonia [Milt.] Species - including candida, clowesii, flavescens, spectabilis
- F.3 Miltoniopsis species – phalaenopsis, roezlii, santanaei, vexillaria
- F.4 Miltonia and Miltoniopsis Hybrids – excluding Brassia

NEW HAMPSHIRE ORCHID SOCIETY
2024 RIBBON JUDGING SCHEDULE

- F.5 Miltonia and Miltoniopsis intergeneric hybrids – excluding above (Miltonidium [Mtdm.], Odontonia [Odtna].)
- F.6 Odontoglossum (now classified as Oncidium) species and related genera – Lemboglossum [Lem], Osmoglossum [Ogm], Rossioglossum [Ros], Cochlioda [Cda]
- F.7 Odontoglossum Hybrids
- F.8 Odontoglossum intergeneric Hybrids (excluding Odontoglossum Hybrids, Brassia, Miltonia and Miltoniopsis Hybrids) – including Odontocidium [Odcdm], Odontioda [Odtna]
- F.9 Oncidium Species and Hybrids (excluding Equitants – Tolumnia) – including ampliatum, cheirophorum, crispum, fimbriatum, forbesii, gardneri, maculatum, ornithorhyncum, sphacelatum
- F.10 Tolumnia Equitant Oncidium Species and Hybrids; e.g., guianensis, henekenii, pulchella, triquetra, viargata
- F.11 Oncidium Complex Hybrids – Wilsonara [Wils], Vuylstekeara [Vuyl], Colmanara [Colm]
- F.12 Oncidium Allied Genera Species and Hybrids – Gomesa

Oncidium:

- F.20 Oncidiinae Hybrids – Flowers 1” (2.5 cm) or less in natural spread (☼ ≤ 1.0”) – all colors
- F.21 Oncidiinae Hybrids – Flowers greater than 1” (2.5 cm) and less than or equal to 2” (5 cm) in natural spread (1” < ☼ ≤ 2.0”) – all colors
- F.22 Oncidiinae Hybrids – Flowers greater than 2” (5 cm) in natural spread (☼ > 2”) – all colors
- F.23 Best Oncidium in Alliance (Classes F.1 – F.22)**

Oncidium: Other Ribbons

- F.30 Windowsill grown natural light
- F.31 Grown under artificial light or natural light supplemented by artificial light
- F.32 First Bloom Seedling, excluding meristems, mericlones and divisions
- F.33 Best Oncidium Specimen
- F.34 Best Oncidium Species (Classes F.1 – F.3, F.06, F.09 - F.10, F.20)
- F.35 Best “No-Name” Oncidium in Alliance

G. Phalaenopsis Alliance

Includes Doritaenopsis [Dtps.], Doritis [Dor.], and Kingiella [King.].

Phalaenopsis [Phal.]G.3G.33: Species

Micro-Miniature: very small plants with very short, few flowered spikes, small leaf span, flower size up to 1”.

- G.1 Phalaenopsis micro-miniature Species;
- G.2 plants with flowers 1” (2.5 cm) or less in natural spread; e.g., *appendiculate*, *chibae*, *deliciosa*, *gibbosa*, *honghenensis*, *japonicalobbii*, *malipoensis*, *minus*, *parishii*, *taenialis*
- G.3 Phalaenopsis Species – Flowers 2” (5 cm) or less in natural spread (☼ ≤ 2.0”)

Phalaenopsis: Peloric flowers

Includes “big lip” phalaenopsis

- G.10 Phalaenopsis peloric flowers – all sizes, all colors

Phalaenopsis: Small flower Hybrids

Flowers 2” (5 cm) or less in natural spread (☼ ≤ 2.0”)

- G.20 Phalaenopsis Small Flower Hybrids – Red/Maroon/Blue/Violet with or without blush, stripes, spots, bars.
- G.21 Phalaenopsis Small Flower Hybrids – White/Pink with or without stripes, spots, bars.

NEW HAMPSHIRE ORCHID SOCIETY
2024 RIBBON JUDGING SCHEDULE

- G.22 Phalaenopsis Small Flower Hybrids – Yellow/Green with or without blush, stripes, spots, bars.
- G.23 Phalaenopsis Small Flower Hybrids – Other Colors, including Sunset and Desert shades with or without blush, stripes, spots, bars.

G.24 Best of the Blues: Phalaenopsis Small Flower Hybrids (Classes G.20 – G.23)

Phalaenopsis: Standard/Large Flower Hybrids

Flowers greater than 2" (5 cm) and greater than 3" (7.5 cm) in natural spread (2.0" > 🌸 > 3.0")

- G.30 Phalaenopsis Standard Hybrids – Red/Maroon/Blue/Violet with or without blush, stripes, spots, bars.
- G.31 Phalaenopsis Standard Hybrids – White/Pink with or without stripes, spots, bars.
- G.32 Phalaenopsis Standard Hybrids – Yellow/Green with or without blush, stripes, spots, bars.
- G.33 Phalaenopsis Standard Hybrids – Other Colors, including Sunset and Desert shades with or without blush, stripes, spots, bars.

G.34 Best of the Blues: Phalaenopsis Standard/Large Flower Hybrids (Classes G.30 – G.33)

G.35 Best Phalaenopsis in Alliance (Classes G.1 – G.43)

Phalaenopsis: Other Ribbons

- G.50 Windowsill grown natural light
- G.51 Grown under artificial light or natural light supplemented by artificial light
- G.52 First Bloom Seedling, excluding meristems, mericlones and divisions
- G.53 Best Phalaenopsis Specimen in Alliance
- G.54 Best Phalaenopsis Species (Classes G.1 – G.3)
- G.55 Best "No-Name" Phalaenopsis in Alliance

H. Pleurothallid Alliance

Includes *Dracula* [Drac.], *Dryadella* [Dda.], *Lepanthes* [Lths.], *Lepanthopsis* [Lpths.], *Masdevallia* [Masd.], *Octomeria* [Oma.], *Platystele* [Pls.], *Pleurothallis* [Pths], *Porroglossum* [Prgm.], *Restrepia* [Rstp.], *Restrepiella* [Rpa.], *Scaphosepalum* [Sppm.], *Specklinia* [Spe.], *Stelis* [Ste.], *Trisetella* [Tris.]

- H.1 *Masdevallia* Species
- H.2 *Masdevallia* Hybrids – Red/Orange with or without markings
- H.3 *Masdevallia* Hybrids – All other colors
- H.4 *Dracula* Species
- H.5 *Dracula* Hybrids
- H.6 *Masdevallia* and *Dracula* intergeneric Hybrids; e.g., *Dracuvallia* [Drvla.], *Porracula* [Pcu.], *Porrovallia* [Pvla.]
- H.7 *Restrepia* Species and Hybrids
- H.8 *Stelis* Species and Hybrids
- H.9 *Pleurothallis* Species & Hybrids
- H.10 Other Pleurothallid Alliance Species and Hybrids – Plants > 6" high (from top of pot to top of plant)
- H.11 Other Pleurothallid Alliance Species and Hybrids – miniature plants < 6" high (from top of pot to top of plant)

H.12 Best Pleurothallid in Alliance (Classes H.1 – H.11)

Pleurothallid: Other Ribbons

- H.20 Windowsill grown natural light
- H.21 Grown under artificial light or natural light supplemented by artificial light
- H.22 First Bloom, Seedling, excluding meristems, mericlones and divisions

- H.23 Best Pleurothallid Specimen
- H.24 Best Pleurothallid Species (Classes H.1, H.4, H.6 – H.10)
- H.25 Best “No-Name” Pleurothallid in Alliance

I. Sarcanthinae Subtribe

- I.1 Angraecum [Angcm.] Species and intrageneric Hybrids - Aerangis [Aergs.], Chamaeangis [Cmg.], Mystacidium [Mycdm.], Aeranthes [Aerth.]
- I.2 Aerides [Aer.], Arachnis [Arach.], Renanthera [Ren.], Rhynchostylis [Rhy.] Species and intrageneric Hybrids

Vanda [V.] Species

Includes Ascocentrum [Asctm.], Christensonia [Chri.], Neofinetia [Neof.], Vandopsis [Vdps.] Species

- I.10 Vanda Species – Flowers 1.5” (3.8 cm) or less in natural spread (☼ ≤ 1.5”) - Any color
- I.11 Vanda Species – Flowers greater than 1.5” (3.8 cm) in natural spread (☼ > 1.5”) - Any color
- I.12 Vanda Species – formerly Neofinetia

Vanda [V.] Hybrids

Includes any Hybrid with one or more Vanda parent including Ascocenda [Ascda.], Christensonia [Chri.], Darwinara [Dar.], Neofinetia [Neof.], Papilionanda [Pda.], Renandra [Re.], Vandachostylis [Van.], Vandopsis [Vdps.]

- I.20 Vanda Hybrids – Flowers 1.5” (3.8 cm) or less in natural spread (☼ ≤ 1.5”) - Purple/Blue
- I.21 Vanda Hybrids – Flowers 1.5” (3.8 cm) or less in natural spread (☼ ≤ 1.5”) - Red/Pink
- I.22 Vanda Hybrids – Flowers 1.5” (3.8 cm) or less in natural spread (☼ ≤ 1.5”) - Yellow/Orange
- I.23 Vanda Hybrids – Flowers 1.5” (3.8 cm) or less in natural spread (☼ ≤ 1.5”) - Other Colors

- I.30 Vanda Hybrids – Flowers greater than 1.5” (3.8 cm) in natural spread (☼ > 1.5”) - Purple/Blue
- I.31 Vanda Hybrids – Flowers greater than 1.5” (3.8 cm) in natural spread (☼ > 1.5”) - Red/Pink
- I.32 Vanda Hybrids – Flowers greater than 1.5” (3.8 cm) in natural spread (☼ > 1.5”) - Yellow/Orange
- I.33 Vanda Hybrids – Flowers greater than 1.5” (3.8 cm) in natural spread (☼ > 1.5”) - Other Colors

Other Sarcanthinae Species and Hybrids

Excludes Phalaenopsis and Doritis

- I.40 Other Sarcanthinae allied genera, Species and Hybrids; e.g., Adenoncos [Ade.], Amesiella [Ame.], Aranthera [Arnth.], Chiloschista [Chsch.], Cleisocentron [Clctn.], Cleisostoma [Cleis.], Eurychone [Echn.], Gastrochilus [Gchls.], Haraella [Hal.], Holcoglossum [Holc.], Holcostylis [Hoc.], Holconopsis [Hop.], Paraphalaenopsis [Pps.], Podangis [Pod.], Polyrhiza [Pza.], Pomatocalpa [Pmcpa.], Robiquetia [Rbq.], Saccolabium [Slm.], Sarcanthus [Snths.], Sarcophilus [Sarco.], Schoenorchis [Sns.], Trichoglottis [Trgl.], Trichachnis, [Tris.], Tridactyle [Tr.], Tuberolabium [Tblm.]
- I.41 **Vandaceous Alliance Trophy: Best Vanda Alliance (Classes I.1 – I.40)**

Sarcanthinae: Other Ribbons

- I.50 Windowsill grown natural light
- I.51 Grown under artificial light or natural light supplemented by artificial light
- I.52 First Bloom Seedling, excluding meristems, mericlones and divisions
- I.53 Best Sarcanthinae Specimen
- I.54 Best Sarcanthinae Species (Classes I.1 – I.3, I.10 – I.11, I.40)
- I.55 Best “No-Name” Sarcanthinae in Alliance

J. Miscellaneous Genera

- J.1 Coelogyne Species and Hybrid those formerly in the genus Dendrochilum [Ddc.] (miniature) – Flowers less than 1.0" (2.5 cm) in natural spread (☼ ≤ 1.0")
- J.2 Allied Coelogyne Species and Hybrids those formerly in the genus Dendrochilum [Ddc.] (large) – Flowers greater than 1.0" (2.5 cm) in natural spread (☼ > 1.0")
- J.3 Coelogyne [Coel.] Species and Hybrids; including Pholidota [Pho.], Pleione [Pln.], Thunia [Thu.]
- J.4 Bulbophyllum [Bulb.], Cirrhopetalum [Cirr.], Megaclinium [Mgm.] Species and Hybrids
- J.5 Catasetum [Ctsm.], Clowesetum [Clo.], Clowesia [Cl.], Cycnoches [Cyc.], Fredclarkeara [Fdk.], Monnierara [Monn.], Mormodes [Morm.], Mormodia [Mo.] Species
- J.6 Catasetum [Ctsm.], Clowesetum [Clo.], Clowesia [Cl.], Cycnoches [Cyc.], Fredclarkeara [Fdk.], Monnierara [Monn.], Mormodes [Morm.], Mormodia [Mo.] Hybrids
- J.7 Stanhopea [Stan.] and allied genera Species and Hybrids including Acineta [Acn.], Anguloa [Ang.], Coryanthes [Crths.], Gongora [Gga.], Peristeria [Per.]
- J.8 Jewel Orchid Species and Hybrids in flower; includes Anoectochilus [Anct.], Dossinia [Doss.], Dossinochilus [Dsh.], Goodyera [G.], Haemaria [Haem.], Hetaeria [Het.], Ludisia [Lus.], Ludochilus [Lud.], Macodes [Mac.], Macodyera [Mdy.]
- J.9 Terrestrials in flower, not covered elsewhere; e.g., Anacamptis [Ant.], Bletia, Bletilla [Ble.], Calanthe [Cal.], Calopogon [Cpg.], Collabium [Coll.], Crepidium [Crpdm.], Cynorkis [Cyn.], Dienia, Disa, Epipactis [Epcts.], Habenaria [Hab.], Ophrys [Oph.], Orchis [Orchis.], Phaiocalanthe [Phcal.], Phaius, Pelexia [Pel.], Sarcoglottis [Srgt.], Sauroglossum [Sgsm.], Sobralia [Sob.], Spathoglottis [Spa.], Spiranthes [Spir.], Stenosarcos [Stsc.], Stenorrhynchos [Strs.], Cystorchis [Cyor.], Stenorrhynchus [Sten.], Vanilla
- J.10 Foliage on non-blooming orchid from any genus; plant may not be in flower or bud.

Other Miscellaneous Genera not listed above

Includes: Acanthophippium [Aca.], Acineta [Acn.], Ancistrochilus [Anc.], Appendicula [App.], Ceratostylis [Css.], Chrysoglossum [Cgm.], Chysis [Chy.], Coelia [Coe.], Dipteranthus [Dts.], Eria [Er.], Galeandra [Gal.], Lankesterella [Lak.], Liparis [Lip.], Medicalcar [Med.], Neomoorea [Nma.], Oberonia [Ob.], Ornithocephalus [Orcp.], Polystachya [Pol.], Stenia [Stenia.], Telipogon [Tp.], Trichoceros [Tc.], and Zygostates [Zyt.]

- J.10 Miscellaneous Species and Hybrids: flower 1" (2.5 cm) or less in natural spread (☼ ≤ 1.0")
- J.11 Miscellaneous Species and Hybrids: flower greater than 1" (2.5 cm) in natural spread (☼ > 1")

J.12 Miscellaneous Genera Trophy (Classes J.1 – J.11)

Miscellaneous: Other Ribbons

- J.20 Windowsill grown natural light
- J.21 Grown under artificial light or natural light supplemented by artificial light
- J.22 First Bloom Seedling, excluding meristems, mericlones and divisions
- J.23 Best Miscellaneous Specimen
- J.24 Best Miscellaneous Species (Classes J.1 – J.6, J.8, J.10-J.11)
- J.35 Best "No-Name" Miscellaneous in Alliance

K. Art Featuring Orchids

- K.1 Art: Oil, Acrylic & Pastel, Watercolors, Drawings, etchings etc. (original work)
- K.2 Art: Photography/Naturalistic, Abstract, digitally enhanced – mounted, matted or framed (original photos)
- K.3 Art: Ceramics, pottery, planters (original by artist)

NEW HAMPSHIRE ORCHID SOCIETY
2024 RIBBON JUDGING SCHEDULE

- K.4 Art: China, glass, stained glass (original by artist)
- K.5 Art: Sculpture, carving, metal art (original by artist)
- K.6 Art: Jewelry using any medium (original by artist)
- K.7 Art: Needlepoint, Tapestry, Needlework, Sewing, knitting etc. (original by artist)
- K.8 Art: Collectibles, any type orchid related item, other than above. Does NOT need to be original work
- K.9 Best Artistic Award - Marcia Epstein Memorial Award (Classes K.1 – K.8)**

L. Foliage Classes

- L.1 Foliage: Cattleya, Slipper, Oncidium Alliances, need NOT be in flower.
- L.2 Foliage: Vanda Alliance, including Neofinetia, need NOT be in flower
- L.3 Foliage: Phalaenopsis Alliance, need NOT be in flower
- L.4 Foliage: Cymbidium, Dendrobium Alliances, need NOT be in flower.
- L.5 Foliage: Jewel Orchids, NOT be in flower
- L.6 Foliage: All other genera – need NOT be in flower, **including** Vanilla
- L.7 Best Foliage Orchid in class (Classes L.1 – L.6)**

M. Fragrance Classes

- M.1 Fragrance: Sweet and Pleasant – MUST place plant in an easy-to-reach location
- M.2 Fragrance: Pungent and/or unique – MUST place plant in an easy-to-reach location
- M.3 Best in Fragrance Class (Classes M.1 – M.3)**

N. Terrarium Design Classes

- N.1 Terrarium: Small, less than 1 gallon size, orchids in bloom preferred but not required, MOUNTED OR POTTED PLANTS placed in terrarium for display purposes
- N.2 Terrarium: Medium, 1-to-5-gallon size, orchids in bloom preferred but not required, MOUNTED OR POTTED PLANTS placed in terrarium for display purposes
- N.3 Terrarium: Larger than 5 gallons; any number of orchids in bloom preferred but not required, MOUNTED OR POTTED PLANTS placed in terrarium for display purposes
- N.4 Terrarium: Any size; orchids in bloom preferred but not required, MOUNTED OR PLANTED, and growing along with moss as a true micro-habitat
- N.5 Best in Terrarium Design (Classes N.1 – N.4)**

O. Exhibits

- O.1 Exhibits: Vendor Competition: Display of 1-24 orchid plants in flower arranged for effect.
- O.2 Exhibits: Open Competition: Conservation exhibit/Educational exhibit, no space limitations
- O.3 Exhibits: Orchid Societies: Orchid plants in flower arranged for effect as an exhibit.
- O.4 Exhibits: Individual Grower Exhibit Competition: Display of 1-10 orchid plants in flower arranged for effect
- O.5 Exhibits: Individual Grower Exhibit Competition: Display of 11-24 orchids plants in flower arranged for effect
- O.6 Exhibits: Individual Grower Competition: Display of more than 25 orchid plants in flower arranged for effect
- O.7 Exhibits: New Exhibitor Competition
- O.8 Exhibits: Most Outstanding Exhibit – AOS Show Trophy Award (Class O.1)
- O.9 Exhibits: Best Conservation/Educational Exhibit – Ovid Slavin Memorial Award (Class O.2)
- O.10 Exhibits: Best Non-Commercial Exhibit – Orchid Digest Trophy (Class O.3)
- O.11 Exhibits: Best Interpretation of a Show Theme – Grace Barwood Memorial Award (Class O.3 - O.7)
- O.12 Exhibits: Best New Exhibitor Award – Michael Wirth Memorial Award (Class O.7)

P. Additional Trophies & Awards

- P.1 Best No-Name Award – Roger’s Rosette
- P.2 Best Grown under Artificial Light Award
- P.3 Best Grown under Natural Light Award
- P.4 Best Foliage Award
- P.5 Best Fragrance Award
- P.6 Best Terrarium Award
- P.7 Best Species Award – Chuck Wingate Award
- P.8 Best Specimen Plant Award
- P.9 NHOS Reserve Grand Champion Award
- P.10 NHOS Grand Champion Award – Marty Epstein Memorial Trophy

By Genus Listing

Acanthophippium [Aca.] - Class J.10-J.11	15	Cattleytonia [Ctna.] - Classes A.20-A.34	4
Acineta [Acn.] - Class J.10-J.11	15	Cattlianthe [Ctt.] - Classes A.20-A.34.....	4
Acineta [Acn.] - Class J.5	14	Caulaelia [Cll.] - Classes A.20-A.34.....	4
Ada [Ada] - Class F.1.....	10	Cautonleya [Cny.] - Classes A.20-A.34	4
Adenoncos [Ade.] - Class I.40.....	13	Ceratostylis [Css.] - Class J.10-J.11.....	15
Aerangis [Aergs.] - Class I.1	13	Chamaeangis [Cmg.] - Class I.1	13
Aeranthes [Aerth.] - Class I.1	13	Chiloschista [Chsch.] - Class I.40	13
Aerides [Aer.] - Class I.2	13	Chondrorhyncha [Chdrh.] - Class E.5.....	10
Amesiella [Ame.] - Class I.40.....	13	Christensonia [Chri.]	See Vanda
Anacamptis [Ant.] - Class J.9	14	Chrysoglossum [Cgm.] - Class J.10-J.11	15
Ancistrochilus [Anc.] - Class J.10-J.11.....	15	Chysis [Chy.] - Class J.10-J.11	15
Angraecum [Angcm.] - Class I.1	13	Cirrhopetalum [Cirr.] - Class J.4	14
Anguloa [Ang.] - Class J.5	14	Cleisocentron [Clctn.] - Class I.40	13
Anoectochilus [Anct.] - Class J.8.....	14	Cleisostoma [Cleis.] - Class I.40.....	13
Ansellia [Aslla.] - Class B.30.....	6	Clowesetum [Clo.] - Class J.5	14
Appendicula [App.] - Class J.10-J.11.....	15	Clowesia [Cl.] - Class J.5	14
Arachnis [Arach.] - Class I.2.....	13	Cochleanthes [Cnth.] - Class E.4.....	10
Aranthera [Arnth.] - Class I.40	13	Coelia [Coe.] - Class J.10-J.11.....	15
Arpophyllum [Arpo.] - Class A.6	4	Coelogyne [Coel.] – Class J.1-J.3	14
Ascocentrum [Asctm.].....	See Vanda	Collabium [Coll.] - Class J.9	14
Barkeria [Bark.] - Class A.6	4	Collierara [Col.] - Classes A.20-A.34.....	4
Bifrenaria [Bif.] - Class E.3	10	Coryanthes [Crths.] - Class J.5.....	14
Bletia - Class J.9	14	Crepidium [Crpdm.] - Class J.9.....	14
Bletilla [Ble.] - Class J.9.....	14	Cycnoches [Cyc.] - Class J.5.....	14
Bollea [Bol.] - Class E.5	10	Cymbidiella [Cymla.] - Class B.30.....	6
Brassanthe [Bsn.] - Classes Class A.6.....	4	<i>Cymbidium</i> [Cym.]	
Brassavola [B.] - Class A.3	4	<i>ensifolium</i> - Class B.1	5
Brassia [Brs.] - Class F.1.....	10	<i>forrestii</i> - Class B.1	5
Brassocatanthe [Bct.] - Classes A.20-A.34	4	<i>goeringii</i> - Class B.1.....	5
Brassocattleya [Bc.] - Classes A.20-A.34	4	<i>kanran</i> - Class B.1.....	6
Brassokeria [Brsk.] - Class A.6	4	<i>sinense</i> - Class B.1	6
Brassolaelia [Bl.] - Classes A.20-A.34	4	Cymbidium [Cym.], Hybrids - Classes B.10 - B.24	6
Brassolaeliocattleya [Blc.] - Classes A.20-A.34...4		Cymbidium [Cym.], Species - Class B.1-B.3.....	5
Broanthevola [Btv.] - Class A.6.....	4	Cynorkis [Cyn.] - Class J.9.....	14
Broughtonia [Bro.] - Class A.4	4	Cypripedium [Cyp.] - Class C.50	8
Brownara [Bwna.] - Classes A.20-A.34.....	4	Cystorchis [Cyor.] - Class I.40.....	15
Bulbophyllum [Bulb.] - Class J.4	14	Darwinara [Dar.] - Class I.20-I.33.....	13
<i>Cadetia</i> [Cad.] - Class D.13	9	<i>Dendrobium</i> [Den.]	
Cahuzacara [Chz.] - Classes A.20-A.34	4	<i>aberrans</i> - Class D.4	9
Calanthe [Cal.] - Class J.9	14	<i>aggregatum</i> - Class D.2.....	8
Calopogon [Cpg.] - Class J.9	14	<i>alexandrae</i> - Class D.4.....	9
Catasetum [Ctsm.] - Class J.5	14	<i>amethystoglossum</i> - Class D.7	9
Cattleya [C.], Hybrids - Classes A.20-A.34	4	<i>amphigenium</i> - Class D.4	9
Cattleya [C.], Species - Classes A.10-A.11	4	<i>atroviolaceum</i> - Class D.4	9
Cattleychea [Ctyh] - Classes A.20-A.34	4		

NEW HAMPSHIRE ORCHID SOCIETY
2024 RIBBON JUDGING SCHEDULE

<i>bifalce</i> - Class D.4	9	Dracula [Drac.] - Classes H.4	12
<i>biloculare</i> - Class D.4	9	Dracuvallia [Drvla.] - Class H.6	12
<i>convolutum</i> - Class D.4	9	Dryadella [Dda.] - Classes H.10-H.11	12
<i>cruttwellii</i> - Class D.4	9	Encyclia [E.] - Class A.2	4
<i>darjeelingense</i> - Class D.13	9	Encyleyvola [Eyy.] - Classes A.20-A.34	4
<i>dendrocolloides</i> - Class D.4	9	Encyvola [Eyv.] - Class A.6	4
<i>densiflorum</i> - Class D.2	8	Epicatanthe [Ett.] - Classes A.20-A.34	4
<i>elliottianum</i> - Class D.13	9	Epicatonia [Epctn.] - Classes A.20-A.34	4
<i>engae</i> - Class D.4	9	Epicattleya [Epc.] - Classes A.20-A.34	4
<i>eriaeflorum</i> - Class D.13	9	Epidendrum [Epi.] - Class A.1	4
<i>euryanthum</i> - Class D.4	9	Epilaeliocattleya [Eplc.] - Classes A.20-A.34	4
<i>eximium</i> - Class D.4	9	Epipactis [Epcts.] - Class J.9	15
<i>farmeri</i> - Class D.2	8	Epiphronitis [Ephs.] – See Epicattleya [Epc.]	4
<i>finisterrae</i> - Class D.4	9	Eria [Er.] - Class J.10-J.11	15
<i>forbesii</i> - Class D.4	9	Eriopsis [Ess.] - Class B.30	6
<i>griffithianum</i> - Class D.2	8	Eulophia [Euph.] - Class B.30	6
<i>jenkinsii</i> - Class D.2	8	Eulophiella [Eul.] - Class B.30	6
<i>johnsoniae</i> - Class D.4	9	Eurychone [Echn.] - Class I.40	13
<i>kauldorumii</i> - Class D.4	9	Exhibits - Classes K	16
<i>lindleyi</i> - Class D.2	8	<i>Flickingeria</i> [Flkga.] - Class D.13	9
<i>macrophyllum</i> - Class D.4	9	Fredclareara [Fdk.] - Class J.5	14
<i>mayandyi</i> - Class D.4	9	Galeandra [Gal.] - Class J.10-J.11	15
<i>microbulbon</i> - Class D.13	9	Galeopetalum [Gptm.] - Class E.4	10
<i>nobile</i> - Class D.7	9	Galeottia [Glt.] - Class E.4	10
<i>otaguroanum</i> - Class D.4	9	Gastrochilus [Gchls.] - Class I.40	13
<i>peguanum</i> - Class D.13	9	Gerberara [Gba.] - Classes A.20-A.34	4
<i>polysema</i> - Class D.4	9	Gongora [Gga.] - Class J.5	14
<i>punamense</i> - Class D.4	9	Goodyera [G.] - Class J.8	14
<i>rhodostictum</i> - Class D.4	9	Grammangis [Gra.] - Class B.30	6
<i>rigidifolium</i> - Class D.4	9	Grammatophyllum [Gram.] - Class B.30	6
<i>shiraishii</i> - Class D.4	9	Guarianthe [Gur.] - Class A.6	4
<i>spectabile</i> - Class D.4	9	Habenaria [Hab.] - Class J.9	15
<i>tapiniense</i> - Class D.4	9	Haemaria [Haem.] - Class J.8	14
<i>tenellum</i> - Class D.13	9	Haraella [Hal.] - Class I.40	13
<i>terrestre</i> - Class D.4	9	Hawkinsara [Hknsa.] - Classes A.20-A.34	4
<i>thysiflorum</i> - Class D.2	8	Hetaeria [Het.] - Class J.8	14
<i>victoriae-reginae</i> - Class D.7	9	Holcoglossum [Holc.] - Class I.40	13
<i>woodsia</i> - Class D.4	9	Holconopsis [Hop.] - Class I.40	13
Dienia - Class J.9	15	Holcostylis [Hoc.] - Class I.40	13
Dinema [Din.] - Class A.1	4	Huntleya [Hya.] - Class E.5	10
Dipteranthus [Dts.] - Class J.10-J.11	15	Isabelia [Isa.] - Class A.6	4
Disa - Class J.9	15	Isochilus [Iso.] - Class A.6	4
<i>Dockrillia</i> [Doc.] - Class D.13	9	Iwanagara [Iana.] - Classes A.20-A.34	4
Domingoa [Dga.] - Class A.6	4	Jackfowlieara [Jfk.] - Classes A.20-A.34	4
Doritaenopsis [Dtps.]	See Phalaenopsis	Jumellea [Jum.] - Class I.1	13
Doritis [Dor.]	See Phalaenopsis	Kingiella [King.]	See Phalaenopsis
Dossinia [Doss.] - Class J.8	14	Laelia [L.] - Class A.5	4
Dossinochilus [Dsh.] - Class J.8	14	Laeliocatanthe [Lcn.] - Classes A.20-A.34	4

NEW HAMPSHIRE ORCHID SOCIETY
2024 RIBBON JUDGING SCHEDULE

Laeliocattleya [Lc.] - Classes A.20-A.34.....	4	<i>dayanum</i> - Class C.1.....	7
Lambara [Lmb.] - Class A.6.....	4	<i>delenatii</i> - Class C.2.....	7
Lankesterella [Lak.] - Class J.10-J.11.....	15	<i>dianthum</i> - Class C.3.....	7
Lepanthes [Lths.] - Classes H.10-H.11.....	12	<i>druryi</i> - Class C.1.....	7
Lepanthopsis [Lpths.] - Classes H.10-H.11.....	12	<i>emersonii</i> - Class C.2.....	7
Leptotes [Lpt.] - Class A.6.....	4	<i>exul</i> - Class C.1.....	7
Liparis [Lip.] - Class J.10-J.11.....	15	<i>fairrieinum</i> - Class.....	7
Ludisia [Lus.] - Class J.8.....	14	<i>fowliei</i> - Class C.1.....	7
Ludochilus [Lud.] - Class J.8.....	14	<i>gigantifolium</i> - Class C.3.....	7
Lycaste [Lyc.] - Class E.3.....	10	<i>glanduliferum</i> - Class C.3.....	7
Lysudamuloa [Lys.] - Class E.3.....	10	<i>godefroyae</i> - Class C.1.....	7
Macodes [Mac.] - Class J.8.....	14	<i>hangianum</i> - Class C.2.....	7
Macodyera [Mdy.] - Class J.8.....	14	<i>haynaldianum</i> - Class C.3.....	7
Masdevallia [Masd.], Hybrids - Class H.2.....	12	<i>helenae</i> - Class C.1.....	7
Masdevallia [Masd.], Species - Class H.1.....	12	<i>henryanum</i> - Class C.1.....	7
Maxillaria [Max.] - Classes E.1-E.2.....	10	<i>hirsutissimum</i> - Class C.1.....	7
Maxillariella [Mxl.] - Classes E.1-E.2.....	10	<i>hookerae</i> - Class C.1.....	7
Mediocalcar [Med.] - Class J.10-J.11.....	15	<i>insigne</i> - Class C.1.....	7
Megaclinium [Mgm.] - Class J.4.....	14	<i>kolopakingii</i> - Class C.3.....	7
Mexipedium [Mxdm.] - Class C.50.....	8	<i>lawrenceanum</i> - Class C.1.....	7
Microterangis [Mts.] – See Aerangis.....	13	<i>lowii</i> - Class C.3.....	7
Miltonia [Milt.] - Class F.2.....	10	<i>malipoense</i> - Class C.2.....	7
Monnierara [Monn.] - Class J.5.....	14	<i>mastersianum</i> - Class C.1.....	7
Mormodes [Morm.] - Class J.5.....	14	<i>micranthum</i> - Class C.2.....	7
Mormodia [Mo.] - Class J.5.....	14	<i>mohrianum</i> - Class C.1.....	7
Myrmecocattleya [Myc.] - Classes A.20-A.34.....	4	<i>niveum</i> -Class C.1.....	7
Myrmecophila [Mcp] - Class A.6.....	4	<i>ooii</i> - Class C.3.....	7
Mystacidium [Mycdm.] - Class I.1.....	13	<i>parishii</i> - Class C.3.....	7
Neocogniauxia [Nga.] - Class A.6.....	4	<i>philippinense</i> - Class C.3.....	7
Neofinetia [Neof.].....	See Vanda	<i>platyphyllum</i> - Class C.3.....	7
Neomoorea [Nma.] - Class J.10-J.11.....	15	<i>praestans</i> - Class C.3.....	7
Oberonia [Ob.] - Class J.10-J.11.....	15	<i>purpuratum</i> - Class C.1.....	7
Octomeria [Oma.] - Class H.10-H.11.....	12	<i>randsii</i> - Class C.3.....	7
Oerstedella [Oe.] - Class A.6.....	4	<i>rothschildianum</i> - Class C.3.....	7
Oncidium, Equitant - Class F.10.....	10	<i>sanderianum</i> - Class C.3.....	7
Ophrys [Oph.] - Class J.9.....	15	<i>sangii</i> - Class C.1.....	7
Orchis [Orchis.] - Class J.9.....	15	<i>spicerianum</i> - Class C.1.....	7
Ornithocephalus [Orcp.] - Class J.10-J.11.....	15	<i>stonei</i> - Class C.3.....	7
<i>Paphiopedilum</i> [Paph.]		<i>sukhakulii</i> - Class C.1.....	7
<i>adductum</i> - Class C.3.....	7	<i>supardii</i> - Class C.3.....	7
<i>appletonianum</i> - Class C.1.....	7	<i>superbiens</i> - Class C.1.....	7
<i>armeniicum</i> - Class C.2.....	7	<i>tigrinum</i> - Class C.1.....	7
<i>barbatum</i> - Class C.1.....	7	<i>tonsum</i> - Class C.1.....	7
<i>barbigerum</i> - Class C.1.....	7	<i>venustum</i> - Class C.1.....	7
<i>bellatulum</i> - Class C.1.....	7	<i>victoria-mariae</i> - Class C.1.....	7
<i>callosum</i> - Class C.1.....	7	<i>vietnamense</i> - Class C.2.....	7
<i>charlesworthii</i> - Class C.1.....	7	<i>wilhelminiae</i> - Class C.3.....	7
<i>concolor</i> - Class C.1.....	7		

NEW HAMPSHIRE ORCHID SOCIETY
2024 RIBBON JUDGING SCHEDULE

Paphiopedilum [Paph.], Maudiae - Classes C.10-C.12	8	Rhyncholaelia [Rl.] - Class A.3	4
Paphiopedilum [Paph.], Species - Classes C.1-C.3	7	Rhyncholaeliocattleya [Rlc.] - Classes A.20-A.345	
Papilionanda [Pda.]	See Vanda, Hybrids	Rhynchostylis [Rhy.] - Class I.2	13
Paraphalaenopsis [Pps.] - Class I.40	13	Rhynchovola [Rcv.] - Class A.6	4
Pelexia [Pel.] - Class J.9	15	Robiquetia [Rbq.] - Class I.40	13
Peristeria [Per.] - Class J.5	14	Saccolabium [Slm.] - Class I.40	13
Pescatoria [Pes.] - Class E.5	10	Sarcanthus [Snths.] - Class I.40	13
Phaiocalanthe [Phcal.] - Class J.9	15	Sarcochilus [Sarco.] - Class I.40	14
Phaius - Class J.9	15	Sarcoglottis [Srgt.] - Class J.9	15
<i>Phalaenopsis</i> [Phal.]		Sauroglossum [Sgsm.] - Class J.9	15
<i>appendiculate</i> - Class G.1	11	Scaphosepalum [Sppm.] - Classes H.10H.8 -H.11	12
<i>chibae</i> - Class G.1	11	Scaphyglottis [Scgl.] - Class A.6	4
<i>deliciosa</i> - Class G.1	11	Schoenorchis [Sns.] - Class I.40	14
<i>gibbosa</i> - Class G.1	11	Schombocattleya [Smbc.] - Classes A.20-A.34... 5	
<i>honghenensis</i> - Class G.1	11	Schomburgkia [Shom.] - Class A.6	4
<i>japonica</i> - Class G.3	11	Schomcattleya [Scc.] - Classes A.20-A.34	5
<i>lobbii</i> - Class G.1	11	Sedirea [Sed.]	See Phalaenopsis
<i>malipoensis</i> - Class G.1	11	Selenipedium [Sel.] - Class C.50	8
<i>minus</i> - Class G.1	11	Sobralia [Sob.] - Class J.9	15
<i>parishii</i> - Class G.1	11	Soprolaelia [Sl.] - Classes A.20-A.34	5
<i>taenialis</i> - Class G.1	11	Soprolaeliocattleya [Slc.] - Classes A.20-A.34.. 5	
Phalaenopsis [Phal.], Pelorics - Class G.10	11	Sophronitella [Soph.] - Class A.6	4
Pholidota [Pho.] - Class J.1-J.3	14	Spathoglottis [Spa.] - Class J.9	15
Phragmipedium [Phrag.], Hybrids - Classes C.40-C.43	8	Specklinia [Spe.] - Classes H.10-H.11	12
Platystele [Pls.] - Classes H.10-H.11	12	Spiranthes [Spir.] - Class J.9	15
Pleione [Pln.] - Class J.1-J.3	14	Stanhopea [Stan.] - Class J.5	14
Pleurothallis [Pths] - Classes H.9	12	Stelis [Ste.] - Class H.8	12
Podangis [Pod.] - Class I.40	13	Stenia [Stenia.] - Class J.10-J.11	15
Polyrrhiza [Pza.] - Class I.40	13	Stenorrhynchos [Strs.] - Class J.9	15
Polystachya [Pol.] - Class J.10-J.11	15	Stenorrhynchus [Sten.] - Class J.9	15
Pomatocalpa [Pmcpa.] - Class I.40	13	Stenosarcos [Stsc.] - Class J.9	15
Porracula [Pcu.] - Class H.6	12	Sudamerlycaste [Sud.] - Class E.3	10
Porroglossum [Prgm.] - Classes H.10-H.11	12	Telipogon [Tp.] - Class J.10-J.11	15
Porrovalia [Pvla.] - Class H.6	12	Thecopus [The.] - Class B.30	6
Potinara [Pot.] - Classes A.20-A.34	4	Thecostele [Tcs.] - Class B.30	6
Procatavola [Pcv.] - Classes A.20-A.34	4	Thunia [Thu.] - Class J.1-J.3	14
Promenaea [Prom.] - Class E.4	10	Trichachnis, [Tris.] - Class I.40	14
Propetalum [Pptm.] - Class E.4	10	Trichoceros [Tc.] - Class J.10-J.11	15
Prosthechea [Psh.] - Class A.2	4	Trichoglottis [Trgl.] - Class I.40	14
Renandra [Re.]	See Vanda, Hybrids	Tridactyle [Tr.] - Class I.40	14
Renanthera [Ren.] - Class I.2	13	Trisetella [Tris.] Classes H.10-H.11	12
Restrepia [Rstp.] - Class H.7	12	Tsubotaara [Tst.] - Class E.4	10
Restrepiella [Rpa.] - H.10-H.11	12	Tuberolabium [Tblm.] - Class I.40	14
Rhyncatlaelia [Ryc.] - Classes A.20-A.34	4	Vanda [V.], Hybrids - Classes I.20-I.33	13
Rhyncattleanthe [Rth.] - Classes A.20-A.34	4	Vanda [V.], Species - Classes I.10-I.11	13
		Vandachostylis [Van.] - Class I.20-I.33	13
		Vandopsis [Vdps.]	See Vanda

NEW HAMPSHIRE ORCHID SOCIETY
2024 RIBBON JUDGING SCHEDULE

Vanilla - Class J.9	15	Zygoneria [Zga.] - Class E.4	10
Vaughnara [Vnra.] - Classes A.20-A.34	5	Zygonisia [Zns.] - Class E.4	10
Warczewiczella [W.] - Class E.4.....	10	Zygopetalum [Z.] - Class E.4.....	10
Xylobium [Xyl] - Class E.3	10	Zygostates [Zyt.] - Class J.10-J.11.....	15
Zygolum [Zglm.] - Class E.4	10		